IntuitionLabs


INTUITIONLABS / RESEARCH & PRACTICAL GUIDANCE

How AI Literature Review Tools Work: RAG & Semantic Search

> Build practical AI for pharma and biotech with IntuitionLabs. We help life-science teams turn complex information and workflows into useful software, governed knowledge systems and AI tools.

Published by IntuitionLabs · 2026-03-10 · ai literature review · semantic search · systematic reviews · llm summarization · academic research tools

Original article: https://intuitionlabs.ai/articles/how-ai-literature-review-tools-work



In this article

1. Executive Summary
2. Introduction and Background
3. Key Components of AI Literature Review Tools
4. 1. Document Retrieval and Search
5. 2. Relevance Filtering and Screening
6. 3. Summarization and Synthesis
7. 4. Knowledge Graphs and Concept Maps
8. 5. Data Pipelines and Infrastructure
9. 6. Case Studies and Real-World Applications
10. Data Analysis and Performance Evidence
11. Discussion: Implications and Challenges
12. Future Directions
13. Conclusion

Executive Summary

The rapid expansion of scientific literature has driven the emergence of **AI-powered literature review tools** that automate and accelerate tasks traditionally done by researchers. This report provides an in-depth analysis of how these tools work “under the hood,” covering their history, underlying technologies, current capabilities, and future prospects. We examine core components such as **document retrieval**, **relevance ranking**, **text summarization**, **knowledge organization**, and **user workflows**, illustrating each with detailed examples, data, and citations. Across sections we compare traditional review processes with AI-assisted ones, highlight case studies (e.g. ChatGPT in systematic reviews (www.mdpi.com), INSIDE PC platform in literature screening (pmc.ncbi.nlm.nih.gov)), and discuss empirical findings on performance gains and limitations. Two summary tables compare AI tools and AI techniques. The report concludes by discussing implications for research quality and future developments (e.g. more sophisticated language models, knowledge-graph integration) that will further change how literature reviews are conducted. All claims are substantiated with references from the latest research and industry sources.

Introduction and Background

A **literature review**—from a brief narrative survey to a formal systematic review—is foundational to research in all fields (link.springer.com). However, the traditional process is increasingly **laborious and error-prone** due to the sheer volume of publications. By 2022, over 5.14 million scholarly articles were published annually (wordsrated.com) (a jump of ~23% since 2018 (wordsrated.com)), and **an estimated 64 million papers** have appeared since 1996 (wordsrated.com). This deluge of information creates a bottleneck: even a dedicated researcher cannot easily read or track all relevant work. Consequently, missing key studies or synthesizing large bodies of work has become infeasible by manual means alone (link.springer.com) (wordsrated.com).

Origin of AI in literature review: Early attempts to aid literature reviews date back to text-mining workbenches for systematic reviews. For example, the SWIFT-Review platform (2016) used machine learning with term-frequency and topic-modeling (LDA) to **rank and prioritize relevant documents**, enabling reviewers to find 95% of pertinent papers more quickly (systematicreviewsjournal.biomedcentral.com). Likewise, tools like Rayyan (2016) applied text classification to speed up abstract screening, using active learning to focus on likely relevant studies (pmc.ncbi.nlm.nih.gov). These pioneering systems showed that **Natural Language Processing (NLP)** and **Machine Learning (ML)** could significantly reduce reviewer workload in well-defined tasks.

The need for smarter tools: Despite early gains, challenges remain. End-to-end automation is hindered by issues like language ambiguity and bias. Recent surveys note that even with ML there is a risk of " hallucinations" – AI systems generating incorrect or fabricated information (wp.unil.ch). Moreover, many tools historically covered only narrow domains or used proprietary data. The latest AI Literature Review tools, in contrast, combine **Large Language Models (LLMs)** (e.g. GPT-4) with massive scholarly databases and innovative retrieval methods to offer more **comprehensive, creative, and interactive** assistance. Our goal is to unpack how these systems function internally, from data pipelines and algorithms to interfaces and outputs.

Key Components of AI Literature Review Tools

AI literature review tools integrate several sophisticated technologies. Below we discuss their main components, illustrating with concrete examples and research findings.

1. Document Retrieval and Search

Traditional vs. Semantic Search

Historically, researchers used Boolean search on databases (e.g. Web of Science, PubMed) to gather papers. AI tools augment this with **semantic search** and **retrieval-augmented generation (RAG)**. For instance, **Semantic Scholar** (Allen Institute for AI) indexes over 200 million academic papers as described on its About page, checked in October 2026 (Semantic Scholar). A July 2020 engineering account describes an Elasticsearch engine combined with a learned relevance model (AI2 engineering account). Сергей Фельдман of AI2 reports that Semantic Scholar first retrieves ~1,000 candidates via keyword search, then reranks them with a trained ML model (LightGBM with LambdaRank) based on features like textual matches, recency, and citation counts (medium.com). This two-stage architecture (fast initial retrieval + ML reranker) is common in modern academic search. Other platforms (e.g. Dimensions, Google Scholar) similarly combine curated indexes with AI; for example, Google Scholar's experimental Scholar Labs finds papers and provides a brief explanation of how each helps answer the research question (Google Scholar announcement) akin to specialized research engines (e.g. Consensus, Elicit).

- *Historical example (July 2020):* In Semantic Scholar's engineering account, search queries were sent to an Elasticsearch index of approximately 190 million papers (medium.com). The top hits are then fed into a LightGBM model trained on click data (medium.com), weighting features like fraction of query terms in title/abstract and citations to improve relevance (medium.com). The result is higher precision searches than naïve keyword-only queries.

Corpus and API Access

Many tools use public data sources. For example, Semantic Scholar's API agreement distinguishes S2 Data Licenses from separate license terms that may apply to underlying third-party content (Semantic Scholar API license agreement), and its API now exposes features like summarization (TLDR) and semantic content. **Consensus** searches a database of peer-reviewed research papers (Consensus documentation). Some tools allow users to upload a set of PDFs or enter DOIs. For example, **Elicit** offers search over an index of more than 138 million academic papers, according to its API documentation checked in October 2026 (Elicit API reference) and lets users upload their own PDF; the system extracts and indexes the text for query answering.

RAG Pipelines

To leverage LLMs for literature, many systems use **Retrieval-Augmented Generation**: they retrieve relevant passages then feed text to an LLM for summarization or Q&A. For example, if a user asks about "ChatGPT in education," a system like Elicit or an LLM chain will first fetch top articles on ChatGPT's educational uses, then ask a GPT-4 model to synthesize an answer from those abstracts. Some tools (e.g. the MDPI "URL-Based Summarizer" (www.mdpi.com)) explicitly demonstrate this pipeline: the study's first method copies PDF contents into ChatGPT and prompts it to summarize the text. Current ChatGPT includes a web search tool, whose availability can depend on workspace settings (OpenAI documentation). This workflow underscores how AI lit-review tools blend classic IR (crawl/corpus + search) with generative LMs.

Step	Traditional	AI Method	Examples	Techniques
Search/Retrieval	Boolean or keyword search on databases	Semantic retrieval with embeddings and ML ranking	Semantic Scholar (medium.com), Google Scholar (AI Labs) (wp.unil.ch)	ElasticSearch, embedding models, LightGBM
Feeding LLM	N/A	RAG: Retrieve passages then generate answers/summaries	NotebookLM (Google's Gemini) (PDF Q&A)	Long-context Transformer (GPT-4), RAG
Query Refinement	Manual iteration/citation chaining	AI-suggested terms and citation chaining	INSIDE PC (pmc.ncbi.nlm.nih.gov) (BERT-based query), Consensus	Puppeteer search, BERT, active learning

2. Relevance Filtering and Screening

Once papers are retrieved, AI tools help filter and prioritize the results.

Machine Learning Classification

Tools like **Rayyan**, **DistillerSR**, and others apply ML classifiers to title/abstract screening. A recent SR commentary notes that Rayyan and similar apps “use text mining and ML algorithms to identify data patterns and predict categorization of unlabeled records” (pmc.ncbi.nlm.nih.gov). Rayyan learns from reviewers’ Include and Exclude decisions (Rayyan documentation). This approach can drastically cut screening time.

- *Active Learning:* In systematic reviews, active learning “prioritizes relevant articles for literature screening” (pmc.ncbi.nlm.nih.gov). For example, the INSIDE PC case study used an ML-based prioritization: publications were ranked by relevance scores using a BERT-based model, allowing top papers to be reviewed first (pmc.ncbi.nlm.nih.gov). Such methods let reviewers “identify a high proportion of relevant studies earlier” (pmc.ncbi.nlm.nih.gov), achieving ~80% recall after screening only ~60% of articles in a test case (pmc.ncbi.nlm.nih.gov).

Prioritization Metrics

AI ranking often uses “work saved over sampling” (WSS) as a metric: how many abstracts can be shelved while still finding 95% of relevant ones. In SWIFT-Review’s evaluation across 20 SR case studies, it successfully identified 95% of known relevant studies by screening far fewer references, as measured by WSS (systematicreviewsjournal.biomedcentral.com). In the INSIDE PC study, the first ranking method reached 80% recall after screening 1,411 records, approximately 60% of its labelled set (study). This describes records screened, rather than a measured reduction in elapsed time or orders-of-magnitude less effort.

Human-in-the-Loop and Constraints

While AI assists, human oversight remains crucial. Most tools let reviewers override or re-train models. Some systems implement *stop criteria* (e.g. stop after 50 consecutive ‘irrelevant’ predictions (pmc.ncbi.nlm.nih.gov)). Graphical dashboards (scatterplots of relevance vs. rank) also help analysts decide when enough relevant studies have been found.

Table 2. Key Tasks in Literature Review and AI Enhancements

Review Task	Traditional	AI Enhancement	Example Tools/Studies
Searching for Papers	Manual database queries (keywords)	Semantic & neural search on large indexes (medium.com), RAG (LLM queries)	Semantic Scholar (medium.com), Consensus, Elicit
Abstract Screening	Manual reading of titles/abstracts	ML classifiers, active learning (pmc.ncbi.nlm.nih.gov) prioritizing studies	Rayyan (pmc.ncbi.nlm.nih.gov), INSIDE PC (BERT model) (pmc.ncbi.nlm.nih.gov)
Relevance Ranking	Date/citation sorting, manual filtering	Learned ranking models (LightGBM (medium.com)) combining recency, citations, text matches	Semantic Scholar improvements (medium.com)
Data Extraction	Manual table creation	NLP extraction (table/text parsing), retrieval of specific fields	Elicit (ought.org), SWIFT-Review (LDA topics) (systematicreviewsjournal.biomedcentral.com)

Review Task	Traditional	AI Enhancement	Example Tools/Studies
Summarization	Manual note-taking	Abstractive/extractive summarization via LLMs (www.mdpi.com)	Semantic Scholar TLDRs (www.semanticscholar.org), ChatGPT (www.mdpi.com)
Mapping/Categorizing	Manual concept maps	Graph-based clustering (co-citation) (wp.unil.ch), topic models	Connected Papers (wp.unil.ch), OpenKnowledgeMaps

3. Summarization and Synthesis

A core promise of AI review tools is to synthesize content — condense papers or multiple works into coherent summaries. Two major approaches exist: **extractive summarization** (selecting key sentences) and **abstractive summarization** (generating new text). Most modern systems rely on large pre-trained language models (LLMs) for abstractive summarization.

LLM-Based Summaries

ChatGPT, GPT-4, and domain-specific LLMs have shown remarkable ability to summarize research. For instance, **Semantic Scholar's TLDRs** feature uses "the latest GPT-3 style NLP techniques" to generate one-sentence summaries of ~60 million papers (www.semanticscholar.org). These "Too-Long; Didn't Read" TLDRs capture each paper's main goal and outcome in a single sentence, dramatically speeding up triage. The designers highlight that TLDR helps researchers quickly decide which papers merit full reading (www.semanticscholar.org).

Quantitative evaluation: The IoT water-management systematic-review study identified limitations in using ChatGPT for article extraction (study).

Hallucinations and Factuality

A challenge with abstractive AI summaries is factual errors (hallucinations). OSiris (Iris.ai) and others are actively researching solutions. For example, Iris.ai builds **knowledge graphs** from both the source text and the generated summary, then compares them for discrepancies (iris.ai). In their design, if a concept appears in the summary that isn't in the source's graph, the summary can be flagged as unreliable. Future plans involve *biasing* the generation process itself: when a summarization LLM is used, it will be conditioned on the background knowledge graph to ground the output in factual content (iris.ai). This kind of innovation shows how AI tools self-monitor for accuracy: by combining generative models with structured knowledge representations, they aim to minimize fabrication of content.

Extractive Aids

Not all systems are purely neural. Some use extractive methods or templates. For instance, systems may highlight key terms or sentences (like Semantic Scholar's Semantic Reader highlights) or they can pull data tables directly from PDFs. Rayyan allows keyword highlighting by PICO fields. Others use trained extractors: a 2022 Iris.ai case study details how they extract tabular data by matching given data layout to similar phrases using embeddings (iris.ai). While not full free-form text generation, these methods still automate rote tasks of manual summarization.

4. Knowledge Graphs and Concept Maps

Moving beyond flat summaries, advanced tools help users **visualize and explore** the structure of a research field. Two main techniques are in use: *graph-based citation mapping* and *concept/topic mapping*.

Citation Graphs

Tools like **Connected Papers** and **Research Rabbit** create networks where nodes are papers and edges indicate relatedness (often via shared citations or co-citations). Connected Papers (used by HKU researchers) builds a force-directed graph from a "seed" paper: papers are arranged so that conceptually similar works cluster together, even if they do not cite one another directly (blog-sc.hku.hk) (wp.unil.ch). Its similarity metric combines **co-citation and bibliographic coupling** (blog-sc.hku.hk). In practice, a user selects a seminal paper, and Connected Papers shows "Prior Works" (seminal earlier papers) and "Derivative Works" (later developments) in the graph (wp.unil.ch). This visual map reveals subtopics and trends at a glance. The UNIL article notes that such mapping prevents key works from being overlooked and helps build a **comprehensive reference corpus** (wp.unil.ch).

- *Data source:* Connected Papers relies on the Semantic Scholar corpus (wp.unil.ch), leveraging AI2's indexing. ResearchRabbit similarly uses an integrated database and enriches it with user-curated collections and graph algorithms to recommend new papers.

Topic/Knowledge Maps

Other tools map literature by topics or concepts. Open Knowledge Maps clusters search results thematically (bubbles of concepts) (wp.unil.ch). Some services (e.g. Iris.ai's "Project Map") extract keywords and ontology terms from text to create interactive concept maps. These may use unsupervised techniques like **Latent Dirichlet Allocation (LDA)** or embeddings to identify themes. For instance, Open Knowledge Maps queries databases (like BASE or PubMed) and groups results into topic "bubbles" showing related concepts (wp.unil.ch). Such visualizations help frame a review question by revealing hidden structure in the literature.

Integration with Summaries

There is a trend toward combination: for example, Iris.ai uses knowledge graphs not just for factuality checks, but also to power search and extraction. The idea of "AI Knowledge Foundation" (iris.ai) is that concept graphs (entities and relations) can later feed into generative answers. Some experimental systems promise a LLM that not only answers questions but also shows the underlying concept graph or citations used, increasing transparency.

5. Data Pipelines and Infrastructure

While the above tasks cover the logic, the actual **architecture** of AI literature tools often involves pipeline design:

- **Data Ingestion:** Crawling publishers, APIs (CrossRef, PubMed), university subscriptions, etc. Many SV tools partner with data providers (e.g. Dimensions, PubMed) or use web scrapers. The text is cleaned (OCR/PDF parsing, reference stripping) (link.springer.com).

- **Indexing:** Documents are tokenized, embedded (using models like SciBERT or Sentence-Transformers) and stored in vector databases. Metadata (authors, citations) is indexed as well.
- **Model Serving:** Language models (often via API calls to GPT-3/4 or open LLMs) run on-demand for tasks like summarization or Q&A. Scalable systems may use local LLMs (LLAMA, etc) for privacy or cost reasons.
- **User Interface:** Many tools provide interactive notebooks or tables (Elicit's Excel-like interface), chat interfaces, or full dashboards (visual graphs in Connected Papers, or collated recommendations in Consensus). Collaboration features (shared notes, exporting to reference managers) augment these.

6. Case Studies and Real-World Applications

ChatGPT in Systematic Review (IoT Case Study)

A 2023 case study employed ChatGPT to automate an entire systematic review workflow in environmental engineering (www.mdpi.com). The authors divided the review into modules (search term generation, abstract screening, full-text filtering, content analysis) and let ChatGPT handle each. The authors identified limitations in ChatGPT's suitability for article extraction (study).

AI-Accelerated Prostate Cancer SR

In a biomedical example, researchers compared a traditional prostate-cancer literature review (five co-authors screening thousands of papers) against the **INSIDE PC** AI platform. INSIDE PC, using pubmedBERT and a broad Dimensions database, asymmetrically **ranked publications by relevance** (pmc.ncbi.nlm.nih.gov). INSIDE PC evaluated screening methods. The separate Clark et al. case study completed a systematic review in 61 person-hours over 12 calendar days; producing the accepted manuscript required 71 person-hours. In a different analysis, Borah et al. reported a mean of 67.3 weeks from the registered project start date to publication. These different studies and endpoints do not establish a 97% time reduction attributable to INSIDE PC or AI.

Tool Adoption Trends

Academic adoption of AI lit-review tools is surging. Many university libraries now promote tools like **Semantic Scholar**, **Elicit**, and consensus engines (tamu.libguides.com) (wp.unil.ch). TechRadar's general AI-tool roundup discusses writing assistance (TechRadar). Surveys of scholars indicate most expect to use AI for writing and citation management (e.g. Zotero, Sciwheel integration), though literature-review-specific stats are scarce. Clearly, by 2026 students and researchers increasingly use chatbots and AI assistants for finding/organizing literature, relying on the very algorithms described here.

Data Analysis and Performance Evidence

Beyond case anecdotes, quantitative analyses have begun to measure AI tool effectiveness.

- **Screening Efficiency:** INSIDE PC's first ranking method reached 80% recall after screening 1,411 records, approximately 60% of its labelled set (study). This screening-count result does not measure a 25% reduction in elapsed screening time.
- **Accuracy:** The IoT systematic-review study identified limitations in ChatGPT's suitability for article extraction (study).
- **Search Quality:** Semantic Scholar's ML reranker improved search relevance by ~10–15% through data cleaning and feature engineering (medium.com). Such gains translate to fewer false positives in results.
- **Growth of Literature:** The intrinsic data challenge is highlighted by statistics: globally, academic output is in the **millions per year** (wordsrated.com). This metric analysis underscores why high recall (≥95%) is a goal in SRs (link.springer.com).

Given these data, we see that AI tools often prioritize *recall* (finding nearly all relevant work) even at some precision cost, mirroring systematic review norms.

Discussion: Implications and Challenges

AI literature tools promise revolutionary productivity, but they also raise concerns:

- **Quality and Reliability:** As noted by UNIL resources, *"AI-generated syntheses may contain hallucinations, ... entirely fabricated references or erroneous interpretations"* (wp.unil.ch). Users must verify AI suggestions against originals. Tools mitigating this (e.g. Iris graph-checking) are in development, but critical literacy remains essential.
- **Coverage Bias:** Most AI tools rely on large English-dominated corpora, so their utility may be highest in STEM fields. Humanities and non-English literature are often underrepresented (wp.unil.ch). There is ongoing need to diversify training data and indexing.
- **Ethics and Plagiarism:** Automated summarizers and chatbots might inadvertently encourage poor scholarship if used without supervision. Many publishers now issue guidelines on AI use. From a technical viewpoint, embedding provenance trails (citations with each summary) is an emerging best practice.
- **Alignment and Transparency:** The Elicit team highlights that end-to-end training on "success" isn't ideal for creative tasks (ought.org). Instead, they advocate "factored cognition": decomposing tasks into clear sub-steps that are verifiable (ought.org). In practice, tools that expose reasoning steps or let users inspect model outputs at each stage will be more trustworthy.
- **Resource Requirements:** Behind the scenes, these tools demand heavy computation (LLMs, graph analytics). This can drive up costs. Open-source LLMs (LLaMA, etc.) and efficient retrieval models are being explored to make tools widely accessible.

Future Directions

Looking ahead, AI literature review tools will likely evolve along several axes:

- **Even Larger Models & Multimodality:** New LLMs (e.g. GPT-5, Google's Gemini) with broader knowledge and reasoning may produce more accurate summaries and could integrate figures/tables. Some envision multimodal agents that can ingest charts or videos from papers.
- **Domain-Specific Training:** Models tuned to scholarly writing (like PubMedBERT or ArxivRoBERTa) can improve understanding of technical content. We may see specialized engines for law, business, or various sciences.
- **Interactive AI Assistants:** Rather than static dashboards, future systems may resemble AI research assistants you can *chat with*. Google's Gemini Notebook (formerly NotebookLM) supports questions about selected notebook sources; its chat responses use only data from those sources (Google Help). This turns literature review into a conversational dialogue.
- **Integration with Knowledge Graphs:** Building on Iris.ai's work (iris.ai)，advanced tools will use large cross-domain knowledge graphs to enrich queries. Imagine asking "what are open problems in my niche?" and having the AI combine structured graph knowledge with textual analysis to answer.
- **Live Updating (Living Reviews):** As literature continues to grow, AI can enable continuously updated reviews ("living systematic reviews") by automatically ingesting new papers daily and flagging changed conclusions.
- **AI-assisted Collaboration:** Teams may share AI "notebooks" or extractors for joint workflow. Tools could version-control literature states or let multiple analysts annotate corpora synchronously, all backed by the AI search backend.

Conclusion

AI literature review tools leverage a combination of modern NLP techniques—semantic search, machine learning ranking, language model summarization, and graph analytics—to transform how researchers find and synthesize knowledge. Behind the scenes are heterogeneous pipelines: massive scholarly databases, embeddings tables, ML models for ranking and classification, LLMs for generation, and visualization engines for mapping. In a separate automation case study, Clark et al. completed a systematic review in 61 person-hours over 12 calendar days; the accepted manuscript required 71 person-hours. That said, they are not infallible. Ongoing research addresses issues like factual accuracy, bias, and the need for interpretability.

The current landscape is a hybrid: researchers now routinely use Semantic Scholar's TLDRs (www.semanticscholar.org) or ChatGPT summaries (www.mdpi.com), but still critically read original sources. Over time, as AI tools become more reliable and transparent, they are poised to become an integral part of scholarly workflows. The future ushers in a collaborative paradigm in which human expertise is amplified by AI "research colleagues," accelerating discovery across fields.

References: Statements above are supported by the cited literature and sources: experimental results on AI-assisted screening (pmc.ncbi.nlm.nih.gov), technical descriptions of search and ranking (medium.com) (pmc.ncbi.nlm.nih.gov) (wp.unil.ch), case studies using ChatGPT for reviews (www.mdpi.com), and insights from tool developers and academic reviews (www.semanticscholar.org) (iris.ai). Each claim is backed by a credible source, detailed in the annotations above.

Source links

Links cited in this article, in order of first appearance. Full addresses are provided for readers using extracted text.

1. https://www.mdpi.com/2379976
2. https://pmc.ncbi.nlm.nih.gov/articles/PMC12510040
3. https://link.springer.com/article/10.1007/s10462-024-10844-w
4. https://wordsrated.com/number-of-academic-papers-published-per-year
5. https://systematicreviewsjournal.biomedcentral.com/articles/10.1186/s13643-016-0263-z
6. https://wp.unil.ch/iaunil/en/ai-as-a-research-assistant-essential-tools-for-the-literature-review
7. https://www.semanticscholar.org/about
8. https://medium.com/ai2-blog/building-a-better-search-engine-for-semantic-scholar-ea23a0b661e7
9. https://scholar.googleblog.com/2025/11/scholar-labs-ai-powered-scholar-search.html
10. https://www.semanticscholar.org/product/api/license
11. https://help.consensus.app/en/articles/9922673-how-consensus-works
12. https://docs.elicit.com
13. https://www.mdpi.com/2673-4591/62/1/10
14. https://learn.chatgpt.com/docs/web-search?surface=app&translationFallback=es-419
15. https://help.rayyan.ai/hc/en-us/articles/45819983751569-How-to-Use-Ratings-and-Relevance-Ranking-in-Rayyan
16. https://ought.org/updates/2022-03-22-elicit
17. https://www.semanticscholar.org/product/tldr
18. https://iris.ai/blog/tech-deep-dive-building-knowledge-graphs
19. https://blog-sc.hku.hk/connected-papers-a-visual-tool-that-helps-speed-up-your-literature-search
20. https://pubmed.ncbi.nlm.nih.gov/32004673
21. https://doi.org/10.1136/bmjopen-2016-012545
22. https://tamu.libguides.com/c.php?g=1289555
23. https://www.techradar.com/best/best-ai-tools
24. https://ought.org/elicit
25. https://workspace.google.com/intl/en_ca/products/gemini-notebook
26. https://support.google.com/gemininotebook/answer/16179559?hl=en-CU

THE PUBLISHER

About IntuitionLabs

IntuitionLabs is an AI consulting, custom software development and data engineering firm serving pharmaceutical, biotechnology, medical-device and other life-science organizations. We work with clinical, regulatory, medical-affairs, commercial, quality and IT teams to connect technology decisions with the work people need to accomplish.

AI consulting and adoption

Our AI enablement services cover readiness assessments, use-case selection, governance and policies, team workshops, adoption measurement and ongoing advisory support. We help organizations structure the information layer behind AI: source material, context, permissions and maintained knowledge that make generated answers useful and reviewable. Private LLM inference and hosted AI options support teams evaluating how to operate AI with appropriate control over their data and infrastructure.

Software, data and life-science workflows

IntuitionLabs develops custom software for pharma and biotech, integrates enterprise systems, and builds data engineering and business intelligence solutions. Areas of focus include AI agents, regulatory research, medical writing, medical affairs, CMC information, competitive intelligence and clinical-document workflows. Our eTMF intelligence work includes cross-system reconciliation and inspection-readiness support.

Enterprise platforms and regulated delivery

We provide Veeva services, application support, managed services, integrations and custom applications, alongside enterprise content work involving platforms such as Egnyte. For regulated workflows, our services include GxP enablement, computer-system validation and software development addressing 21 CFR Part 11 requirements. The applicable controls, validation responsibilities and acceptance criteria are defined for each engagement.

Work with IntuitionLabs

Explore AI enablement, pharma and biotech software development, data engineering and BI, and Veeva services. Contact IntuitionLabs to discuss your workflow, information sources and implementation needs.

IntuitionLabs publishes educational research to help life-science teams make informed technology decisions. Coverage of a product or organization does not imply a client relationship, endorsement or partnership.

Website: https://intuitionlabs.ai

This article is educational. Verify consequential medical, legal, financial, regulatory and technical decisions with appropriate professionals and the cited primary sources. Company services are described separately from the article's research findings.